


**HUBUNGAN PERILAKU CARING PERAWAT DENGAN
MANAGEMENT REGIMENTTERAPEUTIK PADA PASIEN TB
DIWILAYAHKERJA PUSKESMAS PERAWATAN BATIK NAU
TAHUN 2020**

SKRIPSI



OLEH:

ENGGARTIASTO ADI ANGORO

NPM : 182320090P

**PROGRAM STUDI ILMU KEPERAWATAN (S-1) FAKULTAS ILMU
KESEHATAN (FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2020**

ABSTRAK

HUBUNGAN PERILAKU CARING PERAWAT DENGAN MANAGEMENT REGIMENTTERAPEUTIK PADA PASIEN TB DIWILAYAHKERJA PUSKESMAS PERAWATAN BATIK NAU TAHUN 2020

Oleh :

Enggartiasto Adi Anggoro¹⁾

Handi Rustandi²⁾

Syami Yulianti ²⁾

TuberkulosisParu merupakan penyebab kematian ketiga terbesar setelah penyakit kardiovaskuler dan penyakit saluran pernafasan. Tujuan Penelitian ini adalah untuk mengetahui hubungan perilaku *caring* perawat dengan management regiment terapeutik pada pasien TB di wilayah Kerja Puskesmas Perawatan Batik Nau Tahun 2020.

Metode yang digunakan adalah desain penelitian analitik dengan pendekatan *cross sectional*. Sampel dalam penelitianberjumlah 43 responden di wilayah Kerja Puskesmas Perawatan Batik Nau dengan menggunakan teknik *total sampling*. Penelitian ini menggunakan SPSS dengan uji statistik *Chi-Square* dengan nilai $\alpha=0,05$.

Hasil analisis univariat bahwa terdapatsebagian besar responden (67,4%) responden menilai perawat menunjukkan perilaku caring yang baik dan terdapat sebagian besar respondenTB (62,8%) memiliki managementregiment terapeutik yang efektif. Hasil analisis bivariat bahwa ada perilaku *caring* perawat dengan management regiment terapeutik pada pasien TB di wilayah Kerja Puskesmas Perawatan Batik Nau Tahun 2020 ($p value =0,000$).

Peneliti menyarankankepada pihak Puskesmas agar dengan meningkatkan *caring* dalam pemberian pelayanan kesehatan pada pasien TB paru, serta penyuluhan pada pasien TB agar regiment terapeutik pasien dapat efektif.

Kata Kunci :*Caring*, management regiment terapeutik, Tuberkulosis paru 1: Calon Sarjana Keperawatan

2: Pembimbing

ABSTRACT

A CORRELATION BETWEEN NURSE CARING BEHAVIOR AND THERAPEUTIC REGIMEN MANAGEMENT IN TUBERCULOSIS PATIENTS IN THE WORKING AREA OF BATIK NAU TREATMENT PUBLIC HEALTH CENTER IN 2020

By:

***Enggartiasto Adi Anggoro¹⁾
HandiRustandi²⁾
SyamiYulianti²⁾***

The purpose of this study is to determine the correlation between nurse caring behavior and therapeutic regimen management in TB patients in the working area of Batik Nau Nursing Public Health Center in 2020. The method used is an analytical research design with a cross sectional approach. The sample in the study amounted to 43 respondents using total sampling technique. This study used SPSS with the Chi

Square statistical test with a value of $\alpha = <0.05$. The results of the univariate analysis showed that most of the respondents (67.4%) had a good caring behavior and most of the TB respondents (62.8%) had an effective therapeutic regimenmanagement. The results of the bivariate analysis showed that there is a correlation between nurse caring behavior with therapeutic regimenmanagement in TB patients in the Working area of Batik Nau Treatment Health Center in 2020 (p value = 0.000). The health center should increase caring in providing health services to pulmonary TB patients, as well as counseling for TB patients so that the patient's therapeutic regimen can be effective.

***Keywords: Caring, therapeutic regimenmanagement, pulmonary tuberculosis 1: Student
2: Supervisors***