

**HUBUNGAN TINGKAT KECEMASAN DENGAN SKALA NYERI POST
OPERASI *SECTIO CAESARIA* DI RUANG KEBIDANAN RSUD
HASANUDIN DAMRAH BENGKULU SELATAN
TAHUN 2019**

SKRIPSI



OLEH :

YETI SUMIATI
NPM : 172426091 SPA

**PROGRAM STUDI ILMU KEPERAWATAN (S1)
FAKULTAS ILMU KESEHATAN (FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2019**

ABSTRAK

HUBUNGAN TINGKAT KECEMASAN DENGAN SKALA NYERI POST OPERASI *SECTIO CAESARIA* DI RUANG KEBIDANAN RSUD HASANUDIN DAMRAH BENGKULU SELATAN TAHUN 2019

Oleh :

YETI SUMIATI¹

Dilfera Hermiati²

Elsi Rahmadani²

Indonesia pada tahun 2018 terdapat 17,6% persalinan dilakukan melalui operasi (Risksedas, 2018). Tujuan Penelitian ini adalah untuk mengetahui Hubungan Tingkat Kecemasan Dengan Skala Nyeri Post Operasi *Sectio Caesaria* Di Ruang Kebidanan RSUD Hasanudin Damrah Bengkulu Selatan Tahun 2019.

Metode yang digunakan adalah desain penelitian analitik dengan pendekatan cross sectional. Sampel dalam penelitian berjumlah 76 responden Di Ruang Kebidanan RSUD Hasanudin Damrah Bengkulu Selatan dengan menggunakan teknik Accidental Sampling. Penelitian ini menggunakan uji statistik chi-Square dengan nilai $\alpha < 0,05$.

Hasil analisis uji univariat bahwa lebih dari setengah responden memiliki mengalami kecemasan sedang-berat, sebagian dari responden mengalami nyeri post *sectio caesaria* sedang. Hasil analisis bivariat Ada Hubungan Tingkat Kecemasan Dengan Skala Nyeri Post Operasi *Sectio Caesaria* Di Ruang Kebidanan RSUD Hasanudin Damrah Bengkulu Selatan Tahun 2019 (p value = 0,011)

Kepada pihak Di RSUD Hasanudin Damrah Bengkulu Selatan diharapkan dapat meningkatkan pelayanan yang ada terutama pada penanganan nyeri pada pasien post operasi SC.

Kata Kunci : Kecemasan, Nyeri, Post Operasi *Sectio Caesaria*

Keterangan :

1: Calon Sarjana Keperawatan

2: Pembimbing

ABSTRACT

A CORRELATION BETWEEN ANXIETY LEVELS WITH POSTOPERATIVE SECTIO CAESARIA PAIN SCALE IN THE MIDWIFERY ROOM OF HASANUDIN DAMRAH REGIONAL GENERAL HOSPITAL OF SOUTH BENGKULU IN 2019

By:

YETI SUMIATI¹)

Dilfera Hermiati²)

Elsi Rahmadani²)

In 2018, there were 17.6% of deliveries delivered through operations (Risksedas, 2018). The purpose of this study is to determine the correlation between anxiety levels with the scale of postoperative pain in the Sectio Caesaria in the Midwifery room of Hasanudin Damrah Hospital of South Bengkulu 2019. The method used is analytical research design with cross sectional approach. The sample in this study amounted to 76 respondents by using the Accidental Sampling technique. This study used a chi-square statistical test with a value of $\alpha = <0.05$. The results of the univariate test analysis showed that more than half of respondents had moderate-severe anxiety, some of the respondents had moderate post-sectional cesarean pain. Bivariate analysis results There is a correlation between Anxiety Level and Post-operative Sectio Caesaria Pain Scale in Midwifery Room of Hasanudin Damrah Hospital of South Bengkulu in 2019 (p value = 0.011). The hospital is expected to improve existing services, especially in the management of pain in SC postoperative patients.

Keywords: Anxiety, Pain, Postoperative Sectio Caesaria

Information :

1: Student

2: Supervisors