

**ASUHAN KEBIDANAN PADA IBU NIFAS NY “S” UMUR 34 TAHUN P_A,H,
DENGAN POST CURATTAGE DI RUANG MAWAR RSUD DR. M. YUNUS
BENGKULU TAHUN 2019**

LAPORAN TUGAS AKHIR



OLEH :

**NITALIANI
NPM : 1624260039 DB**

**PROGRAM STUDI KEBIDANAN (DIII)
FAKULTAS ILMU KESEHATAN (FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2019**

ABSTRAK

ASUHAN KEBIDANAN PADA IBU NIFAS NY “S” UMUR 34 TAHUN P₄A, DENGAN POST CURATTAGE DI RUANG MAWAR RSUD DR. M. YUNUS BENGKULU TAHUN 2019

OLEH

**Nitaliani¹⁾
Danur Azissah RS²⁾
Ravika Ramlis²⁾**

Curattage adalah cara membersihkan hasil konsepsi memakai alat kuretase (sendok kerokan). Sebelum melakukan kuretase, penolong harus melakukan pemeriksaan dalam untuk menentukan letak uterus, keadaan serviks dan besarnya uterus gunanya untuk mencegah terjadinya bahaya kecelakaan misalnya perforasi (Sofian, 2011).

Dari data yang diperoleh dari Rekam Medis RSUD M.Yunus, angka kejadian *curettage* pada tahun 2016 sebanyak 127 orang. Angka kejadian ini meningkat pada tahun 2017 sebanyak 130 orang, pada tahun 2018 sebanyak 115 orang.

Laporan kasus ini adalah untuk memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan *curattage* melalui pendekatan proses asuhan kebidanan secara komprehensif.

Dalam penyusunan laporan kasus ini menggunakan metode deskriptif yaitu dengan menggunakan fakta – fakta sesuai dengan data – data yang didapat. Dari hasil penelitian selama kurang lebih 3 hari pasien sudah dapat beraktifitas seperti biasa.

Diharapkan kepada ibu – ibu masa nifas dapat meningkatkan kondisi fisik dan psikis serta personal hygiene terutama daerah perineum.

Kata Kunci : *Curattage*, Ibu nifas

Keterangan : 1. Calon ahli Madya Kebidanan

2. Pembimbing

ABSTRACT

A MIDWIFERY CARE FOR POSTPARTUM WOMEN MRS. "S" PA, WITH POST CURETTAGE IN MAWAR ROOM AT DR. M. YUNUS REGIONAL GENERAL HOSPITAL OF BENGKULU CITY IN 2019

By

Nita Liani¹⁾

Danur Azissah RS²⁾

Ravika Ramli³⁾

Curettage is a way to clean up the results of the conception using a curettage tool (scraped spoon). Before doing curettage, rescuers should conduct an internal examination to determine the location of the uterus, cervix condition and the size of the uterus to prevent accidental hazards such as perforation (Sofian, 2011). From the

data of medical record in Mawar Room at Dr.M. Yunus Regional General Hospital, the number of curettage cases in 2016 was 127 people. This cases increased in 2017 by 130 people, in 2018 by 115 people. This case report is to acquire knowledge and understanding directly from the client with curettage approach to midwifery care process in a comprehensive manner. In compiling this report, the researcher used a descriptive method that is by unrevealing facts in accordance with the data obtained. The results on post curettage are mothers who have no pain, mothers can move as usual, mothers can keep the hygiene of mothers properly. It is expected that postpartum mothers can improve their physical and psychological conditions and personal hygiene, especially in the perineal area.

Keywords: *curettage, postpartum mothers.*

Information:

1. Student
2. Supervisors