

**ASUHAN KEBIDANAN PADA IBU NIFAS Ny “S” P1 A0 UMUR 27
TAHUN DENGAN POST SECTIO CAESAREA DI RSUD Dr. M. YUNUS
KOTA BENGKULU
TAHUN 2019**

LAPORAN TUGAS AKHIR



OLEH :

**PRIMA AGITA
NPM : 1624260046 DB**

**PROGRAM STUDI KEBIDANAN (DIII)
FAKULTAS ILMU KESEHATAN (FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2019**

ABSTRAK

ASUHAN KEBIDANAN PADA IBU NIFAS Ny “S” P1A0 UMUR 27 TAHUN DENGAN POST SECTIO CAESAREA DI RSUD Dr. M. YUNUS KOTA BENGKULU TAHUN 2019

OLEH

Prima Agita¹⁾

Indra Iswari²⁾

Syami Yulianti³⁾

Menurut *World Health Organization* (WHO) memperkirakan bahwa angka persalinan dengan *sectio caesarea* pada tahun 2015 di Amerika Serikat sekitar 21%, Negara Belgia angka persalinan dengan *sectio caesarea* 23% dan Negara Kanada 21% sedangkan di Negara berkembang sekitar 10% sampai 15% dari semua proses persalinan. Angka kematian akibat *sectio caesarea* adalah sekitar 5,8 per 100.000 persalinan demikian pula angka kesakitan persalinan dengan *sectio caesarea* lebih tinggi, yakni sekitar 27,3 per 1.000 persalinan dibandingkan dengan persalinan normal yang hanya 9 per 1.000 persalinan (WHO, 2016).

Laporan kasus ini adalah untuk memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan post *sectio caesaria* melalui pendekatan proses asuhan kebidanan secara komprehensif.

Dalam penyusunan laporan kasus ini menggunakan metode deskriptif yaitu dengan mengungkapkan fakta-fakta sesuai dengan data-data yang didapat. Diharapkan kepada ibu-ibu masa nifas post *sectio caesaria* dapat meningkatkan kondisi fisik dan psikis serta personal hygiene terutama pada daerah bekas operasi.

Kata Kunci : *Post Sectio Caesaria*, Ibu Post Nifas

Keterangan : 1. Calon Ahli Madya Kebidanan
2. Pembimbing

ABSTRACT

A MIDWIFERY CARE FOR POSTPARTUM MOTHER MRS "S" PIA0 27 YEARS OLD WITH POST SECTIO CAESAREA AT Dr. M. YUNUS REGIONAL GENERAL HOSPITAL OF BENGKULU IN 2019

BY

*Prima Agita¹⁾
Indra Iswari²⁾
Syami Yulianti³⁾*

According to the World Health Organization (WHO), the rate of childbirth with sectio caesarea in 2015 in the United States around 21%, the State of Belgium the number of births with sectio caesarea by 23% and the Country of Canada by 21% while in developing countries around 10% to 15% of all labor process. The mortality rate due to sectio caesarea is around 5.8 per 100,000 deliveries as well as the rate of labor with sectio caesarea is higher, which is about 27.3 per 1,000 deliveries compared to normal deliveries which is only 9 per 1,000 deliveries (WHO, 2016). This case report is to obtain knowledge and understanding directly to clients with post sectio caesaria through a comprehensive approach to midwifery care processes. This case report was compiled using a descriptive method that is by disclosing the facts in accordance with the data obtained. It is expected that caesaria postpartum mothers can improve physical and psychological conditions and personal hygiene especially in the area of the former operation.

Keywords : post sectio caesaria, Postpartum Mother

Information :

1. Student
2. Supervisors