

**SUHAN KEBIDANAN PADA AKSEPTOR KB MOW DI RUMAH SAKIT
BHAYANGKARA
KOTA BENGKULU
TAHUN 2019**

LAPORAN TUGAS AKHIR



**OLEH :
YESI MERLIANI
1624260076B DB**

**PROGRAM STUDI KEBIDANAN (DIII)
FAKULTAS ILMU KESEHATAN (FIKES) UNIVERSITAS DEHASEN
BENGKULU
TAHUN 2019**

ABSTRAK
ASUHAN KEBIDANAN PADA AKSEPTOR KB MOW DI RUMAH SAKIT
BHAYANGKARA
KOTA BENGKULU
TAHUN 2019

OLEH
Yesi Merliani¹⁾
Ekasari Yussiarti Panji²⁾
Mariza Arfianti²⁾

Keluarga Berencana (KB) digalakkan di semua negara di seluruh dunia, dengan berbagai metode alat kontrasepsi, Akseptor yang memakai alat kontrasepsi MOW di seluruh Dunia 9,2%, di negara maju akseptor yang memakai alat kontrasepsi MOW sebanyak 6,6% dan di negara-negara yang sedang berkembang sebanyak 6,0%. Dimana terlapor komplikasi seperti infeksi daerah operasi setelah pemasangan MOW sebesar 0,8%. (WHO, 2016)

Laporan kasus ini adalah untuk memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan akseptor KB MOW melalui pendekatan proses asuhan kebidanan secara komprehensif

Dalam penyusunan laporan kasus ini menggunakan deskriptif yaitu dengan mengungkapkan fakta – fakta sesuai dengan data – data yang didapat. Dari pengkajian yang dilakukan ditemukan diagnosa yaitu ibu merasa pusing, merasa lemas, dan nyeri pada bekas luka operasi post sc dan tubektomi. Akseptor KB MOW yang dialami ibu saat ini merupakan salah satu penyebab ketidak nyamanan ibu selama proses post sc dan tubektomi yang dikarenakan oleh berbagai faktor. Untuk ibu akseptor kb mow diharapkan lebih memperhatikan kesehatan dan asupan nutrisi dan kebersihan hygiene ibu untuk kenyamanan ibu.

Kata Kunci : Ibu Akseptor KB MOW,

Keterangan :

1. Calon Ahli Madya Kebidanan
2. Pembimbing

ABSTRACT

A MIDWIFERY CARE FOR MOW CONTRACEPTION ACCEPTORS AT BHAYANGKARA HOSPITAL OF BENGKULU CITY IN 2019

By

Yesi Merliani¹⁾

Ekasari Yussiarti Panji²⁾

Mariza Arfiani²⁾

Contraception (KB) is promoted in all countries around the world, with a variety of contraceptive methods, acceptors using MOW Contraception are 9.2% worldwide, in developed countries using MOW contraception acceptors are 6.6% and in developing countries 6.0%. Where there is data are reported complications such as regional surgery after MOW installation of 0.8%. (WHO, 2016). This case report is to acquire knowledge and understanding directly to the client with acceptors MOW approach to midwifery care in a comprehensive process. In preparing this case report used descriptive by revealing facts in accordance with the data obtained. From the assessment conducted, it is found that the diagnosis for the mother felt dizzy, felt weak, and pain in post sc and postectomy surgery scars. MOW contraception acceptors experienced by mothers today is one of the causes of maternal discomfort during the post sc and tubectomy process due to various factors. For mothers, MOW contraception acceptors are expected to pay more attention to the health and nutrition intake and hygiene and comfort of the mother.

Keywords: MOW contraception acceptors.

Information:

- 1. Student*
- 2. Supervisors*