

**ASUHAN KEBIDANAN PADA NY “L” UMUR 30 TAHUN P1
A0 INFEKSI JALAN LAHIR DENGAN MENGGUNAKAN
REBUSAN DAUN SIRIH DI BPM RUSMIATY S.Tr.,KeB KOTA
BENGKULU TAHUN TAHUN 2021**

LAPORAN TUGAS AKHIR



Oleh :
MULIA MONICA
NPM : 18240010

**PROGRAM STUDI KEBIDANAN (DIII)
FAKULTAS ILMU KESEHATAN(FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2021**

ABSTRAK

ASUHAN KEBIDANAN PADA NY “L” UMUR 30 TAHUN P1 A0 INFEKSI JALAN LAHIR DENGAN MENGGUNAKAN REBUSAN DAUN SIRIH DI BPM RUSMIATY S.Tr.,KeB KOTA BENGKULU TAHUN 2021

Oleh :

Mulia Monica ¹⁾

Diyah Tepi R ²⁾

Desi Aulia Umami ²⁾

Angka kejadian diare pada balita yaitu sekitar 95 pada tahun 2019 dan 97 pada tahun 2020. Banyaknya angka Kematian ibu 75% disebabkan oleh infeksi di Indonesia kasus kematian ibu akibat infeksi menempati urutan tertinggi di ASEAN yaitu 359/100.000, 57% ibu mendapat jahitan perineum (28% karena episiotomy dan 29% karena menyebabkan alasan penulis untuk mengangkat masalah ini dalam laporan kasus.

Laporan kasus ini adalah untuk memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan Infeksi Jalan Lahir dengan menggunakan air rebusan daun sirih

Dalam penyusunan kasus ini menggunakan metode deskriptif yaitu dengan mengungkapkan fakta-fakta sesuai dengan data-data yang didapat.

Dari pengkajian yang dilakukan ditemukan diagnosa yaitu ibu mengatakan saat ini terasa nyeri ada luka jahitan, Perih saat BAK, dan Kemerahan dibagian luka jahitan. Setelah dilakukan asuhan dengan menggunakan ceboq air rebusan daun sirih selama empat hari luka jahitan infeksi jalan lahir sudah kering. Untuk ibu nifas Infeksi jalan lahir diharapkan untuk sering melakukan personal hygiene menggunakan ceboq air rebusan daun sirih setiap kali habis BAB dan BAK.

Kata Kunci : *Infeksi Jalan Lahir , Rebusan Daun Sirih* Keterangan : 1:Calon Ahli Madya Kebidanan 2:Pembimbing

ABSTRACT

A MIDWIFERY CARE FOR MRS. L AGED 30 YEARS P1 A0 WITH BIRTH CANAL INFECTIONS USING BETEL LEAVES IN THE INDEPENDENT PRACTICE MIDWIFE OF RUSMIATY, Str.Keb IN BENGKULU CITY IN 2021

By :

Mulia Monica ¹⁾

Diyah Tepi R ²⁾

Desi Aulia Umami ²⁾

The number of maternal mortality rates is 75% due to infection in Indonesia. Cases of maternal mortality due to infection are in the highest order in ASEAN, namely 359/100,000, 57% of mothers received perineal sutures (28% due to episiotomy and 29% due to the reasons for the writer to raise this issue in case reports. This case report is to obtain knowledge and understanding directly on clients with Birth Canal Infections using boiled water of betel leaves. In the preparation of this case, a descriptive method is used, namely by revealing the facts according to the data obtained. From the assessment carried out, the diagnosis was found, namely the mother said that at this time she felt pain with stitches, pain when urinating, and redness in the suture wound. After caring for using betel leaf boiled water for four days, the sutures of the birth canal infection are dry. For postpartum mothers with birth canal infections, it is expected to frequently perform personal hygiene using betel leaf boiled water every time after defecation and defecation.

Keywords: Birth Canal Infection, Betel Leaves Boiled Water

Description :

1: Student

2: Supervisor