


**ASUHAN KEBIDANAN INTRANATAL CARE PADA IBU
DENGAN ATONIA UTERI DI RUANG MAWAR RUMAH
SAKIT M.YUNUS BENGKULU TAHUN 2019**

LAPORAN TUGAS AKHIR



Oleh :
SUKMAR VERONIKA VP
NPM : 1624260066DB

**PROGRAM STUDI KEBIDANAN (DIII)
FAKULTAS ILMU KESEHATAN(FIKES)
UNIVERSITAS DEHASEN BENGKULU
TAHUN 2019**

ABSTRAK

ASUHAN KEBIDANAN INTRANATAL CARE PADA IBU DENGAN ATONIA UTERI DI RUANG MAWAR RUMAH SAKIT M.YUNUS BENGKULU TAHUN 2019

Oleh :

Sukmar Veronika VP ¹⁾

Marlin Sutrisna ²⁾

Handi Rustandi ²⁾

Menurut data World Health Organization (WHO) tahun 2015 Angka Kematian Ibu (AKI) sangat tinggi, sekitar 830 wanita meninggal akibat komplikasi kehamilan

dan melahirkan terkait di seluruh dunia setiap hari.

Laporan kasus ini adalah untuk memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan Atonia Uteri melalui pendekatan proses asuhan kebidanan secara komprehensif.

Dalam penyusunan laporan kasus ini menggunakan deskritif yaitu dengan mengungkapkan fakta – fakta sesuai dengan data – data yang didapat.

Dari pengkajian yang dilakukan ditemukan diagnosa yaitu ibu dengan perdarahan post

partum karena atonia uteri.

Perdarahan yang dialami ibu saat bersalin merupakan salah satu penyebab kematian pada ibu selama proses persalinan yang dikarenakan oleh berbagai faktor.

Untuk pasien diharapkan dapat kooperatif dan percaya dengan asuhan yang diberikan.

Kata Kunci : Intranatal Care dengan Atonia Uteri

Keterangan : 1. Calon ahli madya kebidanan

2. Pembimbing

ABSTRACT

INTRANATAL CARE MIDWIFERY CARE AT Ny "I" AGE 33 YEARS G5P2A2 UK 38 WEEKS WITH ATONIA UTERS IN THE ROOMS OF RSUD. Dr. M. YUNUS BENGKULU TAHUN 2019

By :

Sukmar Veronika VP ¹⁾

Marlin Sutrisna ²⁾

Handi Rustandi ²⁾

According to 2015 World Health Organization (WHO) data, the maternal mortality rate (battery) is very high, around 830 women die from pregnancy and childbirth related complication every day.

This case report is to gain direct knowledge and understanding of the client with Uterine Atony through a comprehensive approach to midwifery care.

In preparing this case report using descriptive, namely by disclosing facts in accordance with the data obtained. From the assessment conducted, it was found that

the diagnosis was a mother with post partum hemorrhage due to uterine atony.

Bleeding experienced by mothers during childbirth due to various factors.

Patients are expected to be cooperative and trust the care provided.

Keywords : Intranatal Care with Atonia Uteri

Informasi : 1. Prospective midwifery experts

2. Mentor