


**ASUHAN KEBIDANAN PADA NY “R” USIA 25 TAHUN  
G2P1A0 USIA KEHAMILAN 38 MINGGU NYERI  
PERSALINAN DENGAN MASSAGE DI BPM “E” LINGKAR  
TIMUR KOTA BENGKULU TAHUN 2020**

**LAPORAN TUGAS AKHIR**



**Oleh :**  
**SUCICI PARAMIDA**  
**NPM : 1724260065DB**

**PROGRAM STUDI KEBIDANAN (DIII)  
FAKULTAS ILMU KESEHATAN(FIKES)  
UNIVERSITAS DEHASEN BENGKULU  
TAHUN 2020**

## **ABSTRAK**

### **ASUHAN KEBIDANAN PADA NY “R” USIA 25 TAHUN G2P1A0 USIA KEHAMILAN 38 MINGGU NYERI PERSALINAN DENGAN MASSAGE DI BPM “E” LINGKAR TIMUR KOTA BENGKULU TAHUN 2020**

**Oleh :**

Sucici Paramida <sup>1)</sup>

Yesi Putri <sup>2)</sup>

Ronalen <sup>2)</sup>

AKI dinegara kawasan ASIA pada tahun 2016 sebesar 164 per tahun 2016 sebesar 164 per 100.000 dengan jumlah perkiraan AKI sebesar 61 000 adapun negara-negara ASEAN yang memiliki AKI terbesar Filipina 114 (87-175) per 100.000 kelahiran hidup, Vietnam 54 (41-74) per 100.000 kelahiran hidup, Malaysia 40 (32-53) per 100.000 kelahiran hidup, Brunei 23 (15-30) per 100.000 kelahiran hidup dan Singapura sebesar 10 (6-17) per 100.000 kelahiran hidup. (WHO, 2017) Melaksanakan asuhan kebidanan dan mendokumentasikan hasil asuhan kebidanan pada ibu bersalin untuk mengurangi rasa nyeri persalinan dengan massage di BPM Lingkar Timur Bengkulu. Laporan tugas akhir ini merupakan bentuk laporan study kasus dengan menggunakan metode deskriptif yaitu suatu metode yang dilakukan dengan tujuan utama untuk membuat gambaran atau deskripsi tentang suatu keadaan secara objektif dan memusatkan perhatian pada obyek tertentu. Dari pengkajian yang dilakukan ditemukan satu diagnosa yaitu ibu bersalin dengan nyeri persalinan Pemberian sentuhan atau massage dapat menurunkan frekuensi nyeri persalinan pada ibu bersalin di BPM Erni Lingkar Timur Kota Bengkulu tahun 2020

**Kata Kunci : Nyeri Persalinan Dengan Massage, Asuhan Kebidanan**

Keterangan :

1. Calon Ahli Madya Kebidanan
2. Pembimbing

## **ABSTRACT**

### **A MIDWIFERY CARE FOR MRS. "R" AGED 25 YEARS G2P1A0 38 WEEKS OF GESTATION PAIN OF CHILDBIRTH WITH MASSAGE AT BPM "E" LINGKAR TIMUR OF BENGKULU CITY IN 2020**

**By :**  
Sucici Paramida <sup>1)</sup>  
Yesi Putri <sup>2)</sup>  
Ronalen <sup>2)</sup>

*Based on WHO data in 2017, it is also estimated that MMR (maternal mortality rate) in the ASIA region in 2016 is 164 per year 2016 at 164 per 100,000 with an estimated MMR of 61 000 while ASEAN countries have the largest MMR Philippines 114 (87-175) per 100,000 live births , Vietnam 54 (41-74) per 100,000 live births, Malaysia 40 (32-53) per 100,000 live births, Brunei 23 (15-30) per 100,000 live births and Singapore at 10 (6-17) per 100,000 live births. (WHO, 2017). To carry out midwifery care and document the results of midwifery care for women who give birth with labor pain, BPM "E" Panorama of Bengkulu City. This report is using a qualitative research approach with a case study research strategy. From the assessment conducted, it was found that one diagnosis was a mother who gave birth with labor pain. Pain is a subjective feeling due to changes in the function of various organs of the body which also determine the smooth delivery of the baby through the birth canal. Pain in labor is caused by contraction of the uterine muscles, hypoxia of the contracted muscles, cervical tension, ischemia of the uterine body, and stretching of the lower uterine segment.*

**Keywords:** Mother Maternity With Massage

**Information :**

1. Student
2. Supervisors