


**ASUHAN KEPERAWATAN KELUARGA TN. A PADA NY.A  
DENGAN HIPERTIROID DI PUSKESMAS SEKAYUN  
BENGKULU TENGAH TAHUN 2020**

**KARYA TULIS ILMIAH**



**OLEH :**

**YUDI PRATAMA**  
**NPM : 172426043DP**

**PROGRAM STUDI KEPERAWATAN (DIII) FAKULTAS ILMU  
KESEHATAN (FIKES) UNIVERSITAS DEHA SEN BENGKULU  
TAHUN 2020**

## ABSTRAK

### **ASUHAN KEPERAWATAN KELUARGA TN. A PADA NY.A DENGAN HIPERTIROID DI PUSKESMAS SEKAYUN BENGKULU TENGAH TAHUN 2020**

**Oleh :**

Yudi Pratama <sup>1)</sup>

Tita Septi H <sup>2)</sup>

Handi Rustandi <sup>2)</sup>

*World Health Organization* (WHO) 2016 Menyebutkan Insiden Hipertiroid adalah 82,27 per 100.000 perempuan, sedangkan laki-laki sebanyak 16,2 per 100.000 laki-laki dan pada tahun 2018 terjadi kasus Hipertiroid sebanyak 400 juta jiwa pertahun didunia. Berdasarkan data profil kesehatan Provinsi Bengkulu diketahui bahwa jumlah Insiden Hipertiroid Tahun 2018 sebanyak 112 orang dan pada tahun 2019 sebanyak 67 orang dengan angka kejadian paling tinggi di puskesmas Beringin Raya Kota Bengkulu yang berjumlah 23 orang.

Tujuan penelitian untuk memperoleh pengetahuan dan pemahaman secara langsung dan melakukan Asuhan keperawatan keluarga Tn. A Pada Ny. A dengan Hipertiroid Di Puskesmas Sekayun Bengkulu Tengah tahun 2020.

Metode penelitian yang digunakan dalam penelitian ini adalah studi kasus. Kriteria subyek dalam penulisan asuhan keperawatan ini adalah Ny. A dengan diagnosa medis Hipertiroid dan bersedia menjadi objek dalam asuhan keperawatan

Hasil penelitian ini menunjukkan Pada pengkajian klien dengan Hipertiroid biasanya paling menonjol pada klien adalah mengeluh rasa sesak, tremor, dada berdebar-debar, nafsu makan menurun dan berat badan menurun, mata tampak menonjol. Pada kasus ini diagnosa yang timbul pada kasus terdapat 3 diagnosa, yang yang merupakan diagnosa sesuai dengan teori saat penulis melakukan studi kasus pada Ny. A semua intervensi sudah mencapai kriteria hasil.

Hipertiroid merupakan salah satu penyakit ini yang dapat membahayakan diri dan jika penyakit ini tidak ditangani akan menyebabkan komplikasi bahkan kematian. Oleh karena itu diharapkan lebih memperhatikan kesehatan dengan cara memonitor hasil Labor T3-T4 dan TSH 6 bulan sekali, Minum Obat secara rutin dan diet klien untuk T3-T4 dan TSH 6

**Kata Kunci : *Hipertiroid, Sesak, Tremor, Asuhan Keperawatan***

Keterangan : 1. Calon Ahli Madya

2. Pembimbing

## **ABSTRACT**

### ***FAMILY NURSING CARE FOR MRS. A OF MR. A'S FAMILY WITH HYPERTHYROIDISM AT SEKAYUN PUBLIC HEALTH CENTER OF CENTRAL BENGKULU REGENCY IN 2020***

**By :**

Yudi Pratama <sup>1)</sup>

Tita Septi H <sup>2)</sup>

Handi Rustandi <sup>2)</sup>

*World Health Organization in 2016 states that the incidence of hyperthyroidism is 82.27 per 100,000 women, while men are 16.2 per 100,000 and in 2018 there are 400 million cases of Hyperthyroidism per year in the world. Based on the health profile data of Bengkulu Province, it was found that the number of Hyperthyroid Incidents in 2018 was 112 people and in 2019 there were 67 people with the highest incidence rate in Beringin Raya Public Health Center of Bengkulu City, amounting to 23 people.*

*The aim of this research is to gain knowledge and understanding directly and carry out family nursing care for Mr. A at Mrs. A with Hyperthyroidism at Sekayun Public Health Center of Central Bengkulu Regency in 2020.*

*The research method used in this research is the study case. The criterion of the subject in the writing of this nursing care is Mrs. A with a medical diagnosis of hyperthyroidism and is available as an object in nursing care.*

*The results of this study show that the patient with hyperthyroidism is usually the most prominent in the client who complains of tightness, tremors, chest palpitations, decreased appetite and body weight, the eyes appear bulging. All of the intervention has already achieved successful results.*

*Hyperthyroidism is one of these diseases that can be self-threatening and if this disease is not treated, it can cause complications and even death. Therefore, it is expected to pay more attention to health by monitoring the results of Labor T3-T4 and TSH once every 6 months, taking medication regularly and the client's diet for T3-T4 and TSH 6.*

**Keywords:** *Hyperthyroidism, Tightness, Tremor, Nursing Care.*

**Information:**

1. Student

2. Supervisors