


**ASUHAN KEPERAWATAN PADA KLIEN DENGAN
MASALAH DISPEPSIA RSUD Dr. M. YUNUS BENGKULU
TAHUN 2019**

KARYA TULIS ILMIAH



OLEH :

INTAN ISKANDAR
NPM : 162426017 DP

**PROGRAM STUDI KEPERAWATAN (DIII) FAKULTAS ILMU
KESEHATAN (FIKES) UNIVERSITAS DEHASEN BENGKULU
TAHUN 2019**

ABSTRAK

ASUHAN KEPERAWATAN PADA KLIEN DENGAN MASALAH DISPEPSIA RSUD Dr. M. YUNUS BENGKULU TAHUN 2019

Oleh :

Intan Iskandar ¹⁾

Des Metasari ²⁾

Dilfera Hermiati ²⁾

Prevalensi dispepsia di Asia Pasifik sekitar 10-20% juga merupakan keluhan yang banyak dijumpai. Prevalensi dispepsia secara global di dunia antara 7-45%. Dispepsia di Indonesia menempati urutan ke-15 dari 50 penyakit dengan pasien rawat inap terbanyak.

Asuhan keperawatan ini dibuat agar dapat memperoleh pengetahuan dan pemahaman secara langsung pada klien dengan dispepsia di RSUD Dr. M. Yunus Bengkulu tahun 2019.

Dalam penyusunan asuhan keperawatan ini menggunakan metode deskriptif yaitu dengan mengungkapkan fakta-fakta sesuai dengan data yang di dapat.

Dari hasil pengkajian dapat di tegakkan tiga masalah keperawatan yaitu nyeri berhubungan dengan adanya iritasi mukosa lambung ditandai dengan pengkajian PQRST, Resiko kekurangan volume cairan berhubungan dengan patologis penyakit ditandai dengan mual, muntah dan diare, nutrisi kurang berhubungan dengan adanya mual muntah ditandai dengan mual, muntah, nafsu makan berkurang.

Dispepsia merupakan rasa nyeri pada bagian ulu hati disertai dengan mual dan muntah. Sehingga disarankan pada klien perlu adanya penyuluhan tentang penyakit dispepsia dengan tujuan dapat menambah wawasan mengenai dispepsia agar kedepannya klien dapat melakukan penanggulangan gejala secara mandiri.

Kata kunci : *Dispepsia*, Asuhan Keperawatan

Keterangan :

1: Calon Ahli Madya Keperawatan

2: Pembimbing

ABSTRACT

A NURSING CARE FOR CLIENTS WITH DYPEPSIA PROBLEMS IN THE REGIONAL GENERAL HOSPITAL OF DR.M YUNUS BENGKULU IN 2019

By :

Intan Iskandar ¹⁾

Des Metasari ²⁾

Dilfera Hermati ²⁾

The prevalence of dyspepsia in Asia Pacific around 10-20% is also a common complaint. The prevalence of dyspepsia globally in the world between 7-45%. Dyspepsia in Indonesia ranks 15th out of 50 diseases with the most number of inpatients. This nursing care was made in order to be able to gain knowledge and understanding directly to clients with dyspepsia in the Regional General Hospital of Dr. M. Yunus Bengkulu in 2019. In the preparation of this nursing care using a descriptive method that is by disclosing facts in accordance with the data obtained. From the results of the assessment, three nursing problems can be established, namely pain associated with the presence of gastric mucosal irritation characterized by PQRST assessment, lack of liquid volume related to pathological diseases characterized by nausea, vomiting and diarrhea, poor nutrition related to nausea, vomiting marked by nausea, vomiting, decreased appetite. Dyspepsia is pain in the solar plexus accompanied by nausea and vomiting. So it is suggested to the client the need for counseling about dyspepsia with the aim of being able to add insight into dyspepsia so that in the future the client can handle symptoms independently.

Keywords: *Dyspepsia*

Information :

1: Student

2: Supervisors